

THERMOSTATS



TRANE Residential Type Temperature Control (*รับสั่ง:กัน 1 ไร่)

DESCRIPTION	P/N	LIST PRICE
ROOM THERMOSTAT (FOR CONVERTIBLE/CONCEALED TYPE)		
ROOM THERMOSTAT, 3-SPEED FAN, ON-OFF, 220VAC (REFRIGERANT COIL)	024-0671	950
ROOM THERMOSTAT, 3-SPEED FAN, ON-OFF, 220VAC (WATER COIL)	024-0672	950
ROOM THERMOSTAT (FOR CONVERTIBLE/CONCEALED TYPE)		
ROOM THERMOSTAT, 3-SPEED FAN, ON-OFF, 220VAC (REFRIGERANT COIL)	024-0677	950
ROOM THERMOSTAT, 3-SPEED FAN, ON-OFF, 220VAC (WATER COIL)	024-0678	950
ROOM THERMOSTAT (FOR CONCEALED TYPE)		
ELECTRONIC ROOM THERMOSTAT, 3-SPEED FAN, ON-OFF, 220VAC (WATER COIL)	THT00036C	1,500
DIGITAL ROOM THERMOSTAT (FOR CONCEALED TYPE)		
DIGITAL ROOM THERMOSTAT, 3-SPEED FAN, ON-OFF, 220VAC (REFRIGERANT COIL)	024-0495-004	1,300
DIGITAL ROOM THERMOSTAT, 3-SPEED, FAN, ON-OFF, 220VAC (WATER COIL)	024-0495-015	1,300
DIGITAL ROOM THERMOSTAT, 3-SPEED FAN, ON-OFF, 220VAC (WATER COIL) ELECTRIC RETURN	024-0495-015-E	1,300
DIGITAL ROOM THERMOSTAT (FOR CONCEALED TYPE)		
DIGITAL ROOM THERMOSTAT II, 3-SPEED FAN, ON-OFF, 220 VAC (REFRIGERANT/WATER COIL)	70-TERM0014	1,500



DESCRIPTION	P/N	LIST PRICE
DIGITAL WALL MOUNTED THERMOSTAT (FOR CONCEALED TYPE) - REFRIGERANT COIL/WATER COIL (USE 2-CORE CABLE NO CONNECTOR)		
DIGITAL WIRELESS WALL MOUNTED W/ CONTROL BOX, 3-SPEED FAN, ON-OFF, 220VAC (NO CABLE)	024-0495-016-1+024-0498-001	3,000
DIGITAL WIRELESS WALL MOUNTED W/ CONTROL BOX, 3-SPEED FAN, ON-OFF, 220VAC (KEYCARD OPTION) (NO CABLE)	024-0495-031+024-0498-001	3,500
DIGITAL WIRED WALL MOUNTED W/ CONTROL BOX, 3-SPEED FAN, ON-OFF, 220VAC (NO CABLE)	024-0495-016-1	2,500
DIGITAL WIRED WALL MOUNTED W/ CONTROL BOX, 3-SPEED FAN, ON-OFF, 220VAC (KEYCARD OPTION) (NO CABLE)	024-0495-031	3,000
DIGITAL WIRELESS WALL MOUNTED II W/ CONTROL BOX, 3-SPEED FAN, ON-OFF, 220VAC (NO CABLE)	024-0495-034+024-1064	4,000
DIGITAL WIRED WALL MOUNTED II W/ CONTROL BOX, 3-SPEED FAN, ON-OFF, 220VAC (NO CABLE)	024-0495-034	3,500
DIGITAL WIRED/WIRELESS THERMOSTAT (FOR CONCEALED TYPE) - REFRIGERANT COIL/WATER COIL (USE 10-CORE CABLE W/CONNECTOR)		
DIGITAL WIRELESS CONTROL W/ CONTROL BOX, 3-SPEED FAN, ON-OFF, 220VAC (W/ 10-CORE CABLE 4m.)	024-0417-004	3,000
DIGITAL WIRED CONTROL W/ CONTROL BOX, 3-SPEED FAN, ON-OFF, 220VAC (W/ 10-CORE CABLE 4m.)	024-0508	2,500
DISPLAY FOR 024-0508 (NO CABLE)	024-0508-D	1,000



DESCRIPTION	P/N	LIST PRICE
DIGITAL LCD WIRED/WIRELESS THERMOSTAT (FOR CONCEALED TYPE) - REFRIGERANT COIL/WATER COIL (USE 2-CORE CABLE NO CONNECTOR)		
DIGITAL LCD WIRELESS CONTROL W/ CONTROL BOX, 3-SPEED FAN, ON-OFF, 220VAC (W/ 2-CORE CABLE 4m.)	024-1130+024-1064	3,500
DIGITAL LCD WIRED CONTROL W/ CONTROL BOX, 3-SPEED FAN, ON-OFF, 220VAC (W/ 2-CORE CABLE 4m.)	024-1130	3,000
DISPLAY FOR 024-1130 (NO CABLE)	024-1130-D	1,000
DIGITAL LED WIRED/WIRELESS THERMOSTAT (FOR CONCEALED TYPE) - REFRIGERANT COIL/WATER COIL (USE 2-CORE CABLE W/CONNECTOR)		
DIGITAL LED WIRELESS CONTROL W/ CONTROL BOX, 3-SPEED FAN, ON-OFF, 220VAC (W/ 2-CORE CABLE 4m.)	024-0495-071+024-1064	3,000
DIGITAL LED WIRED CONTROL W/ CONTROL BOX, 3-SPEED FAN, ON-OFF, 220VAC (W/ 2 CORE CABLE 4m.)	024-0495-071	2,500
DIGITAL MINI DISPLAY THERMOSTAT (FOR CONCEALED TYPE) - REFRIGERANT COIL/WATER COIL (USE 6-CORE CABLE W/CONNECTOR)		
DIGITAL MINI DISPLAY WIRELESS W/ CONTROL BOX, 3-SPEED FAN, ON-OFF, 220VAC (W/ 6-CORE CABLE 2m.)	024-1132	3,300
RECEIVER FOR 024-1132 (NO CABLE)	024-1132-R	700



DESCRIPTION	P/N	LIST PRICE
DIGITAL LCD WIRED/WIRELESS THERMOSTAT (FOR CONCEALED TYPE) - WATER COIL ONLY		
DIGITAL LCD DISPLAY WIRED THERMOSTAT, 3-SPEED FAN, ON-OFF, 220VAC (NO CABLE)	THT00055C	2,500
REMOTE HANDHELD FOR THT0055C	THT00057C	1,500
DIGITAL THERMOSTAT (FOR CONVERTIBLE TYPE)		
FOR MCX---EB (HI-COMMAND) DIGITAL WIRELESS CONTROL W/ CONTROL BOARD, 3-SPEED FAN, ON-OFF, 220VAC (W/ 8-CORE CABLE 2m.)	024-0417	2,800
DIGITAL WIRED CONTROL W/ CONTROL BOX, 3-SPEED FAN, ON-OFF, 220VAC (W/ 10-CORE CABLE 4m.)	024-0508	2,500
FOR MCX512GB(5)-042GB(5) (NEW STYLUS) OLD MODEL (BEFORE 2012) WIRELESS TYPE		
DIGITAL LCD WIRELESS CONTROL W/ CONTROL PCB, 4-SPEED FAN (POWER COOL/HI/MED/LOW), ON-OFF, 220VAC (W/ 8-CORE CABLE 2m.)	024-1081+024-1064	3,300
RECEIVER DISPLAY FOR 024-1081 (8-CORE CABLE 1m.)	024-1060+024-1061	700



DESCRIPTION	P/N	LIST PRICE
<p>WIRED TYPE</p> <p>DIGITAL LCD WIRED CONTROL W/ CONTROL PCB, 4-SPEED FAN (POWER COOL/HI/MED/LOW/), ON-OFF, 220VAC (W/ 2-CORE CABLE 4m.)</p>	024-1189	3,000
<p>FOR MCX048GB-060GB (NEW STYLUS) OLD MODEL (BEFORE 2012)</p> <p>WIRELESS TYPE</p> <p>DIGITAL LCD WIRELESS CONTROL W/ CONTROL PCB, 4-SPEED FAN (POWER COOL/HI/MED/LOW/), ON-OFF, 220VAC (W/ 8-CORE CABLE 2m.)</p>	024-1083+024-1064	3,300
<p>WIRED TYPE</p> <p>DIGITAL LCD WIRED CONTROL W/ CONTROL PCB, 4-SPEED FAN (POWER COOL/HI/MED/LOW/), ON-OFF, 220VAC (W/ 2-CORE CABLE 4m.)</p>	024-1191	3,000
<p>FOR MCX512GB-060GB (NEW STYLUS) NEW LED CONTROL (AFTER 2012)</p> <p>WIRELESS TYPE</p> <p>MCX512GB(5)-MCX536GB(5)</p> <p>MAIN CONTROL BOARD FOR MCX (024-1491)</p> <p>REMOTE CONTROL</p> <p>DISPLAY PCB (RECEIVER) + CABLE CONNECT (8-CORE CABLE 1m.)</p>	024-1821 024-1064 024-1060+024-1061	2,000 1,600 700
<p>MCX042GB(5)-MCX060GB</p> <p>MAIN CONTROL BOARD FOR MCX</p> <p>REMOTE CONTROL</p> <p>DISPLAY PCB (RECEIVER) + CABLE CONNECT (8-CORE CABLE 1m.)</p>	024-1822 024-1064 024-1060+024-1061	2,000 1,600 700





3

DESCRIPTION	P/N	LIST PRICE
<p>WIRED TYPE MCX512GB-MCX536GB(5) MAIN CONTROL BOARD FOR MCX (024-1491) DISPLAY LED WIRED + CABLE CONNECT (2-CORE CABLE 4m.)</p>	<p>024-1821 024-1492+024-1819</p>	<p>2,000 1,000</p>
<p>MCX042GB(5)-MCX060GB MAIN CONTROL BOARD FOR MCX DISPLAY LED WIRED + CABLE CONNECT (2-CORE CABLE 4m.)</p>	<p>024-1822 024-1492+024-1819</p>	<p>2,000 1,000</p>
<p>FOR MCX512HB-060HB (COOL-PLUS) WIRELESS TYPE DIGITAL WIRELESS CONTROL W/ CONTROL PCB, 3-SPEED FAN, ON-OFF (W/ 4-CORE CABLE 3m.)</p>	<p>024-1812+024-0498-001</p>	<p>3,300</p>
<p>WIRED TYPE DIGITAL LED WIRED CONTROL W/ CONTROL BOX, 3-SPEED FAN, ON-OFF, 220VAC (W/ 4-CORE CABLE 4m.)</p>	<p>024-1485</p>	<p>2,500</p>
<p>NEW WIRELESS TYPE W/SWING DIGITAL WIRELESS CONTROL W/ CONTROL PCB, 3-SPEED FAN, ON-OFF (W/ 4-CORE CABLE 3m.)</p>	<p>690353310001+024-1064</p>	<p>3,300</p>
<p>NEW WIRED TYPE W/SWING AND IR RECEIVER DIGITAL LED WIRED DISPLAY W/IR RECEIVER (W/ 4-CORE CABLE 4m.) ** CONTROL BOX, 3-SPEED FAN, ON-OFF, 220VAC W/SWING FUNCTION (ไม่สามารถใช้แทนรุ่น 024-1485 ได้) **สามารถเพิ่ม Remote รุ่น 024-1064 ถ้าต้องการใช้แบบไร้สายได้</p>	<p>024-2103 024-2099</p>	<p>1,250 1,250</p>



DESCRIPTION	P/N	LIST PRICE
DIGITAL THERMOSTAT (FOR TALL FLOOR TYPE)		
FOR MCV---AB DIGITAL WIRED THERMOSTAT W/ CONTROL BOX, 3-SPEED FAN, ON-OFF, 220VAC (W/ 10-CORE CABLE 4m.)	024-0415	2,000
FOR MCV---BB DIGITAL WIRED THERMOSTAT W/ CONTROL BOX, 3-SPEED FAN, ON-OFF, 220VAC (W/ 10-CORE CABLE 2m.)	024-1039+029-0320	2,500
FOR HFWB---BB DIGITAL WIRED THERMOSTAT W/ CONTROL BOX, 3-SPEED FAN, ON-OFF, 220VAC (W/ 10-CORE CABLE 2m.)	024-2061+029-0473	2,500




3

TRANE Mini Split and Commercial PCB Control

DESCRIPTION	P/N	LIST PRICE
PCB CONTROLLER SET (FOR CASSETTE TYPE)		
FOR MCC---AB ** ใช้คู่กับ REMOTE HAND SET P/N : 024-0498-001 PCB CONTROLLER - FOR MCC---AB SIGNAL RECEIVER PCB - FOR MCC---AB	040109040 040109020	3,500 1,100
FOR CWS ** ใช้คู่กับ REMOTE HAND SET P/N : 024-0498-001 PCB CONTROLLER - FOR CWS03-04 (04-0120-0113100) PCB CONTROLLER - FOR CWS06-14 (04-0121-0113200) SIGNAL RECEIVER PCB - FOR CWS03-04 (04-0130-0120202A) SIGNAL RECEIVER PCB - FOR CWS06-12 (04-0130-0109020A)	70-BRD00025 70-BRD00023 70-ELEC00083 70-ELEC00098	3,500 3,500 1,100 1,100
FOR MCC---1B ** ใช้คู่กับ REMOTE HAND SET P/N : 024-1064 PCB CONTROLLER W/ SIGNAL RECEIVER (W/ 8-CORE CABLE 2m.) - FOR MCC---1B0RAB**	024-1117	3,500
FOR MCC---2B ** ใช้คู่กับ REMOTE HAND SET P/N : 999-0242034 CONTROLLER SET FOR MCC5182B0RAA CONTROLLER SET FOR MCC524-5482B0RAA DISPLAY PCB (RECEIVER) FOR MCC---2B0RAA	999-36242440 999-36242441 999-0242028	4,000 4,000 1,100
FOR CWS--2 ** ใช้คู่กับ REMOTE HAND SET P/N : 999-0242034 CONTROLLER SET FOR CWS---2 DISPLAY PCB (RECEIVER) FOR CWS---2 TRANSFORMER FOR CWS---2	999-36242783 999-0242046 999-0242035	4,000 1,100 1,000



DESCRIPTION	P/N	LIST PRICE
PCB CONTROLLER SET (FOR HI-WALL TYPE)		
FOR MCW---9B (NEW GENIO/GENIO II)		
PCB CONTROLLER - FOR MCW509-5129B5A0 / MCW5129B5B0 (NEW GENIO)	024-0975	2,500
PCB CONTROLLER - FOR MCW5189B5A0 (NEW GENIO)	024-0908	2,500
PCB CONTROLLER - FOR MCW5249B5A0 (NEW GENIO)	024-0977	2,500
PCB CONTROLLER - FOR MCW5099B5B0 (GENIO II)		
PCB CONTROLLER - FOR MCW5099B5B0 (GENIO II)	024-1111	2,500
PCB CONTROLLER - FOR MCW5129B5C0 (GENIO II)	024-1112	2,500
PCB CONTROLLER - FOR MCW5189B5B0 (GENIO II)	024-1113	2,500
PCB CONTROLLER - FOR MCW5249B0B0 (GENIO II)	024-1114	2,500
FOR MCW---7B (PRESTIGE)		
MAIN PCB + DISPLAY PCB - MCW5097B5A00 / MCW5127B5A00	04-0120-0000095	3,500
MAIN PCB + DISPLAY PCB - MCW5187B5A00 / MCW5247B5A00 / MCW5247B0A00 (ไม่ใช้ของแล้ว)	04-0120-0000097	3,500
FOR MCW---DB (TRIPPLE-E)		
MAIN PCB (DIGITAL) MCW509DB5A01 (024-1001)	1090320903	2,500
MAIN PCB (DIGITAL) MCW512.518.524DB5A01 (024-1005)	1090500510	2,500
MAIN PCB (DIGITAL) MCW512DB5A11 (024-1336)	1090500141	2,500
DISPLAY PCB (DIGITAL) MCW509DB5A01 (024-1041)	1090250119	1,000
DISPLAY PCB (DIGITAL) MCW512.518.524DB5A01 (024-1006)	1090500507	1,000
DISPLAY PCB (DIGITAL) MCW512DB5A11 (024-1041)	1090250119	1,000



3

DESCRIPTION	P/N	LIST PRICE
FOR MCW---SB/TTK---SB (PREMIO) MAIN PCB MCW509SB5A00 MAIN PCB MCW512SB5A00 MAIN PCB MCW518SB5A00 MAIN PCB MCW524SB5A00, MCW524-530SB0A00	201332390848 201332590574 201332890261 201333090270	2,500 2,500 2,500 3,000
DISPLAY PCB MCW509SB5A00 (201332390226) DISPLAY PCB MCW512SB5A00, MCW518SB5A00 DISPLAY PCB MCW524SB5A00, MCW524-530SB0A00	70-BRD00006 201332790114 201333190020	1,000 1,000 1,000
MAIN PCB TTK515SB5E00, TTK518SB5E00 MAIN PCB TTK524MB0EFA (201335490034)	201335490040 70-BRD00002	2,500 2,500
FOR MCW---BB (BRAVO) MAIN PCB MCW509BB5A00 MAIN PCB MCW512BB5A00, MCW512BB5A01 (30035565/30135282) MAIN PCB MCW515BB5A00 MAIN PCB MCW518BB5A00 MAIN PCB MCW518BB5A01 (301354531) MAIN PCB MCW524BB5A00	30035563 70-BRD00026 30135453 30135296 70-BRD00036 30135377	2,500 2,500 2,500 2,500 2,500 2,500
DISPLAY PCB MCW509-518BB5A00, MCW512BB5A01, MCW518BB5A01 DISPLAY PCB MCW524BB5A00	30565088 30565017	1,000 1,000



DESCRIPTION	P/N	LIST PRICE
FOR MCWA--BB (BRAVO INVERTER) MAIN PCB MCWA09BB5A00-MCWA12BB5A00 MAIN PCB MCWA18BB5A00 MAIN PCB MCWA24BB5A00	30138475 30138758 30148196	3,000 3,000 3,000
DISPLAY PCB MCWA09BB5A00-MCWA18BB5A00 DISPLAY PCB MCWA24BB5A00	30565088 30565210	1,000 1,000
FOR TTKA--BB5E00 (BRAVO INVERTER) MAIN BOARD FOR TTKA09BB5E00 MAIN BOARD FOR TTKA12BB5E00 (30148016) MAIN BOARD FOR TTKA18BB5E00 MAIN BOARD FOR TTKA24BB5E00	30148045 690403860001 301389901 301388341	7,000 9,000 12,000 12,000
FOR MCWE--BB (PASSIO R-32) MAIN PCB MCWE09GB5A00 MAIN PCB MCWE12GB5A00 MAIN PCB MCWE15GB5A00 - MCWE18GB5A00 MAIN PCB MCWE24GB5A00	30145075 30145074 30135000149 30145073	3,000 3,000 3,000 3,000
DISPLAY PCB MCWE09GB5A00 - MCWE12GB5A00 DISPLAY PCB MCWE15GB5A00 - MCWE24GB5A00	300001000070 300001000071	1,000 1,000

3

DESCRIPTION	P/N	LIST PRICE
FOR MCW5306B MAIN PCB MCW5306BA00 MAIN PCB MCW5306BA01 / MCW5306B0A10 / MCW5306B5A00 (ET080002)	ET700 70-BRD0008	3,000 3,000
DISPLAY RECEIVER BOARD MCW5306BA00 / MCW5306BA01 DISPLAY RECEIVER BOARD MCW5306B0A10 DISPLAY RECEIVER BOARD MCW5306B5A00 (ET142)	ET110 ET131 70-BRD00027	1,000 1,000 1,000
FOR MCW5366B MAIN PCB MCW5366BA00 (ET080002) DISPLAY RECEIVER BOARD MCW5366BA00 / MCW5366B0A00 / MCW5366B5A00 (ET142)	70-BRD0008 70-BRD00027	3,000 1,000
FOR HWC04-12 MAIN PCB FOR HWC04 DISPLAY RECEIVER BOARD FOR HWC04 DISPLAY RECEIVER BOARD FOR HWC06-12	ET100005 ET090003 ET080008	3,000 1,000 1,000
PCB CONTROLLER SET (FOR RAUP)		
PCB CONTROLLER with Phase Protector - FOR RAUP** ** สามารถใช้แทน Board รุ่นเก่า P/N 024-0920 ได้	024-2042	22,000
PCB CONTROLLER SET (FOR CGAT)		
CONTROLLER SET FOR CGAT	024-1315+029-0334 +029-0334-001	20,000



DESCRIPTION	P/N	LIST PRICE
REMOTE CONTROL		
REMOTE HAND SET** - FOR MCX---EB / MCD / MCC---AB / MCW---7B / MCW5306BA00 / CWS / REPLACE MINI-DISPLAY REMOTE (LCD 6.0) ** สามารถใช้แทนรุ่น P/N: 024-0601 ได้	024-0498-001	1,100
REMOTE HAND SET** - FOR MCW509-5249B5A0 (NEW GENIO) W/ PLASMA ** สามารถใช้แทนรุ่น P/N: 024-0913 ได้	70-TERM0003	1,100
REMOTE HAND SET** - FOR MINI-DISPLAY 70-CONT0007 (LCD 5.5)	70-REMO0003	1,100
REMOTE HAND SET - FOR MCX---GB / MCD / MCC---1B	024-1064	1,600
REMOTE HAND SET W/ PLASMA - FOR MCW509-5249B5B0 / MCW5129B5C0 / MCW---7B / MCW5306BA01 / MCW5306B0A00 / MCW5306B0A10 / MCW5306B5A00 / MCW5366B0A01	024-1065	1,600
REMOTE HAND SET - FOR MCW---DB (TRIPLE E) (024-1000)	1090130033+1071990014	1,100
REMOTE HAND SET - FOR MCW509-518B5 (PREMIO)	203355091323	1,100
REMOTE HAND SET - FOR MCW524SB5 / MCW524-530SB (PREMIO)	203355091206	1,100



3

DESCRIPTION	P/N	LIST PRICE
REMOTE HAND SET - FOR MCW509-524BB5A00 , MCW512BB5A01 , MCW518BB5A01 (BRAVO) / MCWE09-E24GB5A00 (PASSIO)	30510050	1,100
REMOTE HAND SET - FOR MCWA09,A12,A18BB5A00 (BRAVO INVERTER)	30510049	1,100
REMOTE HAND SET - FOR MCC---2B / CWS---2B	999-0242034	1,100
REMOTE HAND SET - FOR HWCF (ET100011) (สามารถใส่ P/N 024-0498-001 แทนได้)	690407020001	1,600



DESCRIPTION	P/N	LIST PRICE
SENSOR		
MCX (Hi-Command/New Stylus/Cool Plus) AND MCC---AB/ MCC---1B / MCC---2B TEMPERATURE SENSOR FOR MCX--EB / MCX---GB / MCD / MCC---AB / MCC---1B FREEZE SENSOR FOR MCX--EB / MCX---GB / MCD / MCC---AB / MCC---1B	024-0219-1 024-0219-2	150 150
TEMPERATURE SENSOR 2.5M. FOR MCX--HB (COOL PLUS) FREEZE SENSOR 2.5M. FOR MCX--HB (COOL PLUS) (024-1496)	024-0480 70-SENS0046	300 300
TEMPERATURE SENSOR FOR MCC---2B FREEZE SENSOR FOR MCC---2B	70-SENS0069 999-0242036	300 300
TRIPPLE-E TEMPERATURE SENSOR+FREEZE SENSOR FOR MCW---DB (TRIPPLE-E) (024-1003)	70-SENS0012	300
PREMIO TEMPERATURE SENSOR FOR MCW509SB5, 518SB5, 524SB5, 524SB, 530SB (PREMIO) TEMPERATURE SENSOR FOR MCW512SB5 (PREMIO) FREEZE SENSOR FOR MCW---SB (PREMIO)	202433190000 202432390005 202301300080	250 250 250



DESCRIPTION	P/N	LIST PRICE
BRAVO/BRAVO INVERTER TEMPERATURE SENSOR FOR MCW512/518/524BB5A0, MCW512/518BB5A1 (BRAVO), MCWA09/A12/A24BB5A00 (BRAVO INVERTER) TEMPERATURE SENSOR FOR MCW515BB5A0 (BRAVO), MCWA18BB5A00 (BRAVO INVERTER)	390000451 390000453	250 250
FREEZE SENSOR FOR MCW512/515/518/524BB5A0, MCW512/518BB5A1 (BRAVO), MCWA09/A12BB5A00 (BRAVO INVERTER) FREEZE SENSOR FOR MCWA18BB5A00 (BRAVO INVERTER) FREEZE SENSOR FOR MCWA24BB5A00 (BRAVO INVERTER)	390000591 390000632 390000598	250 250 250
TEMPERATURE SENSOR FOR TTKA09BB5E00 (BRAVO INVERTER) TEMPERATURE SENSOR FOR TTKA12BB5E00 (BRAVO INVERTER) TEMPERATURE SENSOR FOR TTKA18BB5E00, TTKA24BB5E00 (BRAVO INVERTER) (3900030901)	3900030804 3900030903 690404310001	400 400 400
PASSIO TEMPERATURE SENSOR FOR MCWE09GB5A00 - MCWE24GB5A00	3900031302	250
HI-WALL 30,000-36,000 BTUH AND HWCF TEMPERATURE SENSOR (ET103) FREEZE SENSOR (ET106)	70-SENS0013 70-SENS0014	350 350

TRANE Commercial Type Temperature Control (*รับประกัน 1 ปี)

DESCRIPTION	P/N	LIST PRICE
1 OR 2 STAGE THERMOSTAT**, ON-OFF, POWER SUPPLY 220VAC (FOR ALL TTA, RAUP250,300) **สามารถต่อ EXTERNAL SENSOR P/N : 024-0219-4	024-0495-059	1,800
EXTERNAL TEMPERATURE SENSOR FOR 1 OR 2 STAGE THERMOSTAT	024-0219-4	150
4-STAGE THERMOSTAT, ON-OFF, POWER SUPPLY 220VAC (FOR RAUP400,500,600)	024-0675	4,500
4-STAGE DIGITAL THERMOSTAT, ON-OFF, POWER SUPPLY 220VAC (FOR RAUP400,500,600)	024-0417-007	5,500
MULTI-STAGE DIGITAL THERMOSTAT**, ON-OFF, POWER SUPPLY 220VAC (ALL TTA/RAUP) **สามารถต่อ EXTERNAL SENSOR P/N : 024-0219-1 หรือ 70-SENS0041 ได้	024-0495-060	4,500
PROPORTIONAL THERMOSTAT FOR WATER COIL		
DIGITAL PROPORTIONAL THERMOSTAT** WITHOUT 3-SPEED FAN, 24VAC OUTPUT 0-10VDC **สามารถต่อ EXTERNAL SENSOR P/N : 024-0219-1 หรือ 70-SENS0041 ได้	70-TERM0012	3,300
DIGITAL PROPORTIONAL THERMOSTAT WITH 3-SPEED FAN, 24VAC, OUTPUT 0-10VDC (W/ 2-CORE CABLE 4m.-No CONNECTOR) **สามารถต่อ EXTERNAL SENSOR P/N : 024-0219-1 หรือ 70-SENS0041 ได้	690404460001	3,500
EXTERNAL TEMPERATURE SENSOR FOR PROPORTIONAL THERMOSTAT	024-0219-1	150
EXTERNAL TEMPERATURE SENSOR MODULE FOR PROPORTIONAL THERMOSTAT	70-SENS0041	400








3

THERMOSTAT SELECTION GUIDANCE







AIR CONDITIONING TYPE	PICTURE	THERMOSTAT MODEL	PART NO.	REFRI/ WATER COIL		SIGNAL TYPE		COOLING ONLY MODE	DIGITAL DISPLAY	REMOTE CONTROL	3-SPEED FAN	ON-OFF BUTTON	ELEC-TRONIC DELAY TIMER	TEMP. RANGE °C	POWER SUPPLY V/ PH/Hz	SENSOR TYPE
				REFRIGERANT COIL	WATER COIL	ON-OFF	PROPORTIONAL 0-10 VDC									
Split Type Model : MCD		Room thermostat	024-0671			•	•	•			•	•	•	16-30	220/1/50	Room
			024-0672			•	•	•				•	•	•	16-30	220/1/50
Water Coil Type Model : HFCC/HFCD		Room thermostat	024-0677			•	•	•			•	•	•	16-30	220/1/50	Room
			024-0678			•	•	•				•	•	•	16-30	220/1/50
		Room thermostat	THT00036C			•		•			•	•	•	10-30	220/1/50	Room
		Digital wired control	024-0508			•		•	•		•	•	•	15-30	220/1/50	Duct
		Digital wireless control	024-0417-004			•		•	•		•	•	•	•	15-30	220/1/50
		Mini display wireless control	024-1132			•		•			•	•	•	15-30	220/1/50	Duct
		Digital room thermostat	024-0495-004			•		•	•		•	•	•	18-30	220/1/50	Room
		Digital room thermostat	024-0495-015			•		•	•		•	•	•	18-30	220/1/50	Room
		Digital room II thermostat	70-TERM0014			•		•			•	•	•	15-30	220/1/50	Room
		Wired Wall I Thermostat	024-0495-016-1			•		•	•		•	•	•	15-30	220/1/50	Duct
		Wireless Wall I Thermostat	024-0417-016-1 +			•		•	•		•	•	•	15-30	220/1/50	Duct
		Thermostat	024-0498-001			•		•	•		•	•	•	15-30	220/1/50	Duct

THERMOSTATS

AIR CONDITIONING TYPE	PICTURE	THERMOSTAT MODEL	PART NO.	REFRI/WATER COIL		SIGNAL TYPE		COOLING ONLY MODE	DIGITAL DISPLAY	REMOTE CONTROL	3-SPEED FAN	ON-OFF BUTTON	ELEC-TRONIC DELAY TIMER	TEMP RANGE °C	POWER SUPPLY V/ PH/Hz	SENSOR TYPE	
				REFRIGERANT COIL	WATER COIL	ON-OFF	PROPORTIONAL 0-10 VDC										
Duct		Wired Wall II Thermostat	024-0495-034			•	•	•	•	•	•	•	•	15-30	220/1/50	Duct	
		Wireless Wall II Thermostat	024-0495-034 + 024-1064	•	•	•	•	•	•	•	•	•	•	•	15-30	220/1/50	Duct
		Wired LCD Thermostat	024-1130	•		•		•		•		•		•	15-30	220/1/50	Duct
		Wireless LCD Thermostat	024-1130 + 024-1064	•	•	•	•	•	•	•	•	•	•	•	15-30	220/1/50	Duct
		Wireless LED Thermostat	024-0495-071	•		•		•		•		•		•	15-30	220/1/50	Duct
		Wireless LED Thermostat	024-0495-071 + 024-1064	•	•	•	•	•	•	•	•	•	•	•	15-30	220/1/50	Duct
Room		Wired LCD Thermostat	THT00055C	•	•	•	•	•	•	•	•	•	•	5-35	220/1/50	Room	
		Wireless LCD Thermostat	THT00055C + THT00057C	•	•	•	•	•	•	•	•	•	•	•	5-35	220/1/50	Room
		Digital Proportional Thermostat	690404460001	•		•		•		•		•		•	24/1/50	Room	
Duct (Option)																	



3

AIR CONDITIONING TYPE	PICTURE	THERMOSTAT MODEL	PART NO.	REFRI/WATER COIL		SIGNAL TYPE		COOLING ONLY MODE	DIGITAL DISPLAY	REMOTE CONTROL	3-SPEED FAN	ON-OFF BUTTON	ELEC-TRONIC DELAY TIMER	TEMP. RANGE °C	POWER SUPPLY V/ PH/Hz	SENSOR TYPE
				REFRIGERENT COIL	WATER COIL	ON-OFF	PROPORTION-AL 0-10 VDC									
Split type Odyssey Type Model : TTA 		1 or 2 Stage Thermostat (For all TTA)	024-0495-059			•		•						16-30	220/1/50	Room Duct (Option)
						•		•								15-30
Split type Model : RAUP/TTV 		1 or 2 Stage Thermostat (For RAUP250, RAUP300)	024-0495-059			•		•						16-30	220/1/50	Room Duct (Option)
						•		•								16-30
Water Coil AHU Model : BDHA/BDCB/ BDVA 		Multi-Stage Digital Thermostat (For all TTA)	024-0675			•		•						15-30	220/1/50	Room Duct (Option)
						•		•								5-34

CABLE FOR THERMOSTAT (สายรีโมท)

สายรีโมท 2 Cores สำหรับ Digital Series รุ่น 024-0495-071 และ 70-CONT0043 (for digital grille)

** สายมาตรฐานมีความยาว 4 เมตร**

P/N	LENGTH	LIST PRICE
024-1819	4 เมตร	150

สายรีโมท 4 Cores สำหรับ Cool Plus (MCX---HB) รุ่น 024-1812 / 024-1485 / 024-2099+024-2103

** สายมาตรฐานมีความยาว 4 เมตร**



P/N	LENGTH	LIST PRICE
024-1486	4 เมตร	150
999-0241486	6 เมตร	250
999-0241486-01	8 เมตร	350
999-0241486-02	10 เมตร	450
999-0241486-03	12 เมตร	550
999-0241486-04	14 เมตร	650
999-0241486-05	16 เมตร	750

สายรีโมท 6 Cores สำหรับ Mini Display รุ่น 024-1132 / 024-1134 / 70-CONT0004 / 70-CONT0007 / 70-CONT0063

** สายมาตรฐานมีความยาว 2 เมตร**



P/N	LENGTH	LIST PRICE
024-0228-4	4 เมตร	200
024-0228-6	6 เมตร	300
024-0228-8	8 เมตร	400
024-0228-10	10 เมตร	500

หมายเหตุ : Mini Display รุ่น 70-CONT0032 ใช้สาย 6 cores ยาว 4 เมตร และ รุ่น 024-1132-4 ใช้สาย 6 cores ยาว 6 เมตร

สายรีโมท 8 Cores สำหรับ Wireless Series (MCX---EB / MCX---GB) รุ่น 024-0417 / 024-1081 / 024-1083 / 024-1117

P/N	LENGTH	LIST PRICE
024-0228-9	2 เมตร	150

สายรีโมท 10 Cores สำหรับ Digital Series รุ่น 024-0508 และ 024-0417-004

** สายมาตรฐานมีความยาว 4 เมตร**



P/N	LENGTH	LIST PRICE
024-0229-6	6 เมตร	200
024-0229-08	8 เมตร	300
024-0229-7	10 เมตร	400
024-0229-8	12 เมตร	500
024-0229-10	14 เมตร	600


สายรีโมท 8 Cores สำหรับ Commercial Split Series รุ่น 024-0417-007 / 024-0495-028 / 024-0495-029

** สายมาตรฐานมีความยาว 4 เมตร**




P/N	LENGTH	LIST PRICE
024-0231-6	6 เมตร	300
024-0231-8	8 เมตร	400
024-0230-10	10 เมตร	500

Trane Digital Grille



Trane Digital Grille



Dimension



Digital Thermostat



Wireless Remote Control

P/N	DESCRIPTION	LIST PRICE
70-GRIL0031+ 70-CONT0043	WIRED TYPE Trane Digital Grille w/ Stepping Motor + Digital Wired Thermostat	7,000
70-GRIL0031+ 70-CONT0043+ 024-1064	WIRELESS TYPE Trane Digital Grille w/ Stepping Motor + Digital Wired Thermostat + Handheld Remote Control	8,000

Spare Parts

P/N	DESCRIPTION	LIST PRICE
70-GRIL0031	Trane Digital Grille w/ Stepping Motor	6,000
70-CONT0043	Digital Wired Thermostat	2,500
024-1064	Handheld Remote Control	1,600

Features and Benefits

- ด้วยดีไซน์ที่สวยงามและขนาดกะทัดรัด เหมาะแก่การใช้งานตกแต่งและเพิ่มพื้นที่ใช้สอย
- Trane Digital Grille มาพร้อมฟังก์ชันการปรับทิศทางลม (ขึ้น-ลง : ปรับได้ 70 องศา) ด้วยระบบอิเล็กทรอนิกส์
- เพื่อการใช้งานที่สะดวกสบาย เหมาะสำหรับการติดตั้งใช้งานได้ทั้งบ้าน โรงแรม และอพาร์ทเมนท์
- ติดตั้งง่าย รองรับเครื่องปรับอากาศขนาด 1-2 ตัน (400- 800 CFM)
- รองรับการใช้งานร่วมกับเครื่องปรับอากาศแบบซ่อนในฝ้าหลายรุ่น (MCD, HFCA, HFCC, HFCD)
- ช่วยให้ประหยัดค่าใช้จ่ายโดยไม่ต้องติดตั้งชุดควบคุมอุณหภูมิ (Thermostat) เพิ่มเติม

Intelligent Control

- ตั้งเวลา เปิด-ปิด เครื่องปรับอากาศ
- หน้าจอแสดงผล 7-segment LED Display สามารถปรับความสว่างได้ เพื่อความชัดเจนในการมองเห็น
- โหมดการทำงานอัจฉริยะ: POWERCOOL, ECONO และ SLEEP MODE
- ระบบรักษาความปลอดภัยป้องกันการดำเนินงานผิดพลาดของระบบ (Watchdog, Compressor Delay Protection, Compressor minimum on time, Non-Volatile memory, Freeze protection, Sensor error, Error code display และ Compressor status display